





DYME RACING HOSE & FITTING

V1.1

RACE
TURN
STOP

ON A 

DYME



DYME PSI RACING HOSE AND FITTING

ESTABLISHED IN 2019, DYME STANDS AT THE FOREFRONT OF INNOVATION IN HOSE AND FITTING TECHNOLOGY, BOASTING OVER 10 PATENTS EITHER APPROVED OR IN THE PIPELINE. OUR COMMITMENT TO EXCELLENCE HAS BEEN RECOGNIZED THROUGH MULTIPLE AWARDS, SOLIDIFYING OUR POSITION AS CREATORS OF SOME OF THE MOST FINELY ENGINEERED FLUID TRANSFER SOLUTIONS FOR RACING AND PERFORMANCE APPLICATIONS AVAILABLE TODAY.

FROM ITS INCEPTION, DYME'S MISSION HAS BEEN TO ELEVATE THE STANDARDS OF RACING AND PERFORMANCE, ADDRESSING EMERGING CHALLENGES HEAD-ON. OUR FOCUS LIES IN ENHANCING QUALITY, SAFETY, AND RELIABILITY, WHILE ENSURING OUR PROPRIETARY PRODUCTS OFFER EXCEPTIONAL VALUE. IT'S IN THE METICULOUS ATTENTION TO DETAIL, IDENTIFYING INCREMENTAL IMPROVEMENTS THAT CAN MEAN THE DIFFERENCE BETWEEN CLINCHING A WORLD CHAMPIONSHIP AND FACING A DREADED DNF.

AT DYME, OUR PASSION FOR RACING EXTENDS ACROSS ALL REALMS OF VEHICULAR COMPETITION. OUR PRODUCTS GRACE A DIVERSE ARRAY OF VEHICLES, INCLUDING CARS, BOATS, BIKES, PLANES, AND VARIOUS EQUIPMENT. THEY SEAMLESSLY INTEGRATE INTO A MYRIAD OF SYSTEMS, RANGING FROM OIL AND FUEL LINES TO AIR JACKS, AIR SUSPENSION, NITROUS, BRAKE, AND CLUTCH LINES, AS WELL AS FIRE SUPPRESSION MECHANISMS.



2020
INNOVATOR
OF THE YEAR



2021
LAUNCHPAD
FINALIST



MEMBER

RACE, TURN & STOP ON A DYME.




D Y M E

PRO/SPEC

DYME PRO/SPEC FITTINGS PROVIDE A RAPID-RELEASE ALTERNATIVE TO STANDARD AN/JIC SWIVEL FITTINGS, ENSURING FAST & EFFICIENT TEAR-DOWN AND REASSEMBLY OF FLUID SYSTEMS. DESIGNED FOR EFFORTLESS, ONE-HANDED INSTALLATION IN TIGHT OR OBSTRUCTED SPACES WHERE TOOLS ARE IMPRACTICAL, THEY STAY IN THE OPEN LOCKED STATE UPON DETACHMENT FROM THE ADAPTER.

UPON RECONNECTION, PRO/SPEC FITTINGS AUTOMATICALLY LOCK WITH AN AUDIBLE, HAPTIC SNAP, ENSURING A SECURE SEAL AND CONCEALING THE UNLOCK INDICATOR BAND, ENSURING A LOCK. THESE FEATURES TOGETHER GUARANTEE A RELIABLE FLUID SEAL WITHOUT THE RISK OF LOOSE NUTS CAUSING A LEAK AND COMPROMISING VICTORY.



D Y M E



SECONDARY
LOCK CHANNEL,
SECURE WITH
CLIP OR ZIP TIE




PRO/SPEC

HOW IT WORKS

WITH THE MALE ADAPTER FITTED TO THE VEHICLE OR OTHER SYSTEM, THE FEMALE FITTING IS ABLE TO EASILY SLIDE OVER THE SHAFT AND AS IT PUSHES INTO PLACE, THE BUILT IN QUICK RELEASE LOCK WILL SNAP INTO PLACE ENGAGING THE 2 HALVES WITH THE BALL BEARING SYSTEM AS SOON AS IT REACHES THE CORRECT POSITION.

ONCE DISENGAGED, THIS FITTING REMAINS LOCKED BACK IN THE OPEN POSITION READY FOR INSERTION AND AUTOMATICALLY ENGAGES WHEN PUSHED ONTO THE MALE ADAPTER, PROVIDING A SATISFYING HAPTIC CLICK AS THE LOCK ENGAGES THE FITTING.

ALL FITTINGS HAVE REDUNDANT LOCKING FEATURES AND VISUAL INDICATORS TO SHOW THE FITTING IS SECURELY FASTENED THAT AN/JIC FITTINGS CANNOT DELIVER.



D Y M E


FATBOY



DYME FATBOY FITTINGS ARE A HEAVY DUTY EVOLUTION ON STANDARD AN/JIC HOSE ENDS, WITH A DISTINCTIVE, FAT 'FULL FLOW' CENTER TUBE WITH A THICKER WALL THAN CONVENTIONAL PARTS, THE FATBOY LINE IS MORE ROBUST AND RESISTANT TO PHYSICAL ABUSE AND CHEMICAL ATTACK FROM AGGRESSIVE FLUIDS.

FATBOY FITTINGS GIVE A NEW AESTHETIC TO YOUR ENGINE BAY, AVAILABLE IN A POLISHED BLACK ANODIZED FINISH, COMPATIBLE WITH DYME SUPERSTRASSE RUBBER/SS/CPE HOSES, WITH 'EASY THREAD' HOSE NUTS THAT EFFORTLESSLY ASSEMBLE THE NUT AND HOSE TOGETHER.

CRIMP-ON VERSIONS AND ORB NUTS ALSO AVAILABLE.




D Y M E

FATBOY

THE CONSTRUCTION OF THE FATBOY LINE IS OF THE HIGHEST QUALITY AND ENGINEERING STANDARDS.

ALL DOUBLE SWIVEL FITTINGS ARE DOUBLE SEALED WITH HIGHLY RESISTANT FKM O-RINGS, WHICH ARE HIGHLY RESISTANT TO MOST AUTOMOTIVE CHEMICALS (EXCEPT BRAKE FLUIDS), ASSEMBLED TOGETHER WITH STAINLESS STEEL RETAINERS.

THE AN NUT IS MACHINED SMOOTH TO HELP COUNTER THE ADDITIONAL HEFT OF THE THICK TUBE, AND THE HOSE END NUT IS DESIGNED WITH A LEFT HAND THREAD TO MAKE IT EXTREMELY EASY TO ASSEMBLE TO THE HOSE.



FULL FLOW THICK
TUBE BODY

STAINLESS PIN

DOUBLE
FKM O-RING

SWIVEL
HOSE END


'EASY THREAD'
SCREW ON
NUT

37 DEGREE
AN/JIC FLARE

STAINLESS PIN

LIGHTWEIGHT
AN/JIC NUT.
ORB ALSO
AVAILABLE.

DYME SUPERSTRASSE
STREET PERFORMANCE
HOSE



D Y M E

BRAKE SYSTEMS

IN 2025 DYME WILL RELEASE IT'S PROPRIETARY BRAKE SYSTEM TO THE MARKET, A CULMINATION OF 10 YEARS RESEARCH AND EXPERIMENTING TO FIND THE MOST RELIABLE, HIGH PERFORMING FLEXIBLE BRAKE HOSE SYSTEM EVER DEVELOPED FOR RACING.


PRESENTLY, THE MARKET IS SATURATED WITH CHEAP, POORLY DEVELOPED, UNVALIDATED PARTS, THAT CAN FAIL IN THE HARSH ENVIRONMENTS THAT RACING AT ALL LEVELS FOSTERS, IT IS TOO HARD TO TELL THE GOOD FROM THE DANGEROUS.

DYME SET OUT TO BRING A STATE OF THE ART PRODUCT TO BOTH RACING AND PERFORMANCE CONSUMERS, PROVIDING THEM WITH THE PERFORMANCE THEY EXPECT AND THE SAFETY THEY RELY ON.

DYME WILL RELEASE A COMPREHENSIVE PRODUCT, THAT WILL HAVE TRANSPARENT TESTING DATA, PART VALIDATION ASSURANCE AND ADVANCED DESIGN THAN OUR COMPETITORS, AND WILL HELP PUSH OUT THE UNSAFE PARTS FROM THE MARKET, SO ONLY THE BEST BRANDS WILL REMAIN.

STOP ON A DYME 

DYME PSI © 2024, ALL RIGHTS RESERVED - PATENTS PENDING



D Y M E


RATTLESNAKE

THE RATTLESNAKE KIT IS DYME'S UNIQUE, PATENTED SYSTEM TO PERFECTLY MEASURE AND SPECIFY EXACTLY THE RIGHT DESIGN OF HOSE FOR ANY APPLICATION IMAGINABLE.


USERS TAKE THE TOOLKIT WHICH IS PACKED WITH 2 OF EACH SHAPE FITTING (ONE SIZE PER KIT), AS WELL AS A FEW FEET OF THE MODULAR HOSE SEGMENTS, SO THAT YOU CAN CONSTRUCT EXACTLY THE ASSEMBLY THAT YOU NEED FOR EVERY LINE ON THE CAR.

FROM HERE, THE DESIGN CAN BE INPUT INTO THE DYME WEBSITE TO GET AN INSTANT QUOTE, AND HAVE YOUR PROTOTYPE TUNED INTO A PROFESSIONALLY ASSEMBLED, TESTED AND SENT FROM DYME DIRECTLY TO THE CUSTOMER.


IT'S A WHOLE NEW WAY TO THINK ABOUT MAKING AND BUYING HOSES, GETTING A PERFECT FIT THE FIRST TIME.



Your Design



Our Solution



D Y M E

SPECIALTY HOSE

CRIMPED TYPE

HOSE COMPATIBILITY

SUPERLEGGERA PTFE AN04 - AN20
ULTRA STEEL PTFE AN04 - AN20
MIL-SPEC SL PTFE AN04 - AN20
MIL-SPEC US PTFE AN04 - AN20
SUPER STRASSE CPE RUBBER AN04 - AN20

COMPRESSION TYPE

HOSE COMPATIBILITY

SUPER STRASSE CPE RUBBER AN04 - AN20



FITTING FLUID COMPATIBILITY

**INTERNAL SEALS MUST BE
CHANGED FROM FKM TO
EPDM FOR BRAKE FLUID
COMPATIBILITY.

GASOLINE
ETHANOL (E100)
MOTOR OIL
TRANSMISSION FLUID
GLYCOL COOLANT
NITROUS OXIDE
GEAR OIL

SERVICING

INTERNAL SEALS MUST BE SERVICED ON A TIME BASIS TO
BE DETERMINED BY THE USER, BASED ON THE NATURE OF
THE USE IN THE VEHICLE, MEDIA AND ENVIRONMENT.
INTERNAL SEALS MUST BE CHANGED FROM FKM TO EPDM
FOR BRAKE FLUID COMPATIBILITY.



DYME

DYME
SUPERLEGGERA
(PTFE)

DYME
SUPERSTRASSE
(RUBBER)

SPECIALTY HOSE

DYME SUPERSTRASSE CPE RUBBER HOSES

GREAT VALUE, HIGH PERFORMANCE RUBBER HOSE WITH GOOD LONGEVITY, RECOMMENDED TO CHANGE OUT EVERY 5 YEARS OR LESS ACCORDING TO THE CONDITIONS OF USE AND FLUID MEDIA USED, USER TO DETERMINE.

HOSE FLUID COMPATIBILITY


GASOLINE
ETHANOL (E85)
MOTOR OIL
TRANSMISSION FLUID
GLYCOL COOLANT
GEAR OIL

DYME SUPERLEGGERA PTFE HOSES

ULTRA HIGH PERFORMANCE CARBON IMPREGNATED PTFE, BRAIDED ARAMID COVER, EXTREMELY FLEXIBLE & LONG LASTING HOSE MATERIALS, SUITABLE FOR TOUGH ENVIRONMENTS, RATED FOR LIFETIME USE IN NORMAL CONDITIONS.

HOSE FLUID COMPATIBILITY




GASOLINE
METHANOL/ETHANOL
MOTOR OIL
TRANSMISSION FLUID
GLYCOL COOLANT
NITROUS OXIDE
GEAR OIL



DYME ADAPTERS

DYME CARRIES A HUGE RANGE AND EVER-EXPANDING RANGE OF ADAPTERS TO ENSURE A SMOOTH INTERFACE BETWEEN ALL OF OUR SYSTEMS TO OUR CUSTOMER'S REQUIREMENTS, CARRYING MOST AUTOMOTIVE STANDARDS AND APPLICATIONS TO OUR PROPRIETARY PRO/SPEC ADAPTERS, ALLOWING FOR INTERFACING BETWEEN MOST SAE J526 & 527 TUBE SPECIFICATIONS ON THE FITTING SIDE AND COMMON INDUSTRIAL SPECIFICATIONS LIKE THOSE BELOW;

ORB (O-RING BOSS) (SAE) TO PRO/SPEC
ORB (O-RING BOSS) (METRIC) TO PRO/SPEC
NPT AND OTHER TPERED THREAD STANDARDS TO PRO/SPEC
AN/JIC 37 DEGREE FLARES TO PRO/SPEC
BULKHEAD AN/JIC 37 DEGREE FLARES TO PRO/SPEC
WELD-ON (ALL TYPES) TO PRO/SPEC
PRO/SPEC TO PRO/SPEC



D Y M E

QUALITY


OUR CUSTOMERS PUT THEIR LIVES INTO OUR HANDS WHEN THEY GET OUT ON THE TRACK TO COMPETE, SO WE TAKE QUALITY EXTREMELY SERIOUSLY, SINCE OPENING IN 2019, WE HAVE NEVER RECEIVED A SINGLE RETURN FOR A LEAK CONDITION.

WE START WITH DESIGN, OUR PARTS ARE ALL DESIGNED IN-HOUSE WITH AN EMPHASIS ON RELIABILITY THROUGH GOOD ENGINEERING PRINCIPLES AND MATERIALS SELECTION BASED ON OUR EXTENSIVE EXPERIENCE IN RACING AND AUTOMOTIVE OEM SUPPLY.

OUR ADVANCED RACING LINE PRO/SPEC INCLUDES MULTIPLE REDUNDANCIES TO ENSURE THAT THE FITTING ENDS ARE SECURED AND LOCKED TO THE VEHICLE, AND ARE VISUALLY DETECTABLE IF THEY ARE NOT SECURED.

DYME EMPLOYS ADVANCED ASSEMBLY AND TESTING EQUIPMENT OF OEM AND AEROSPACE QUALITY THAT PROVIDES US A SIGNIFICANT AMOUNT OF DATA MONITORING THAT CAN DETECT IF A PART IS ASSEMBLED OUT OF SPEC, AND CAN PREVENT IT ESCAPING OUR FACILITY.

DYME IS WORKING TO BE CERTIFIED IN AS9100-D IN 2025.



D Y M E

RACING SERVICE

STARTING IN 2024, DYME WILL OFFER A MOBILE FACTORY SERVICE TO OUR CLIENTS, BASED IN SOUTHERN CALIFORNIA AND THE SURROUNDING STATES, TO BRING OUR FLUID TRANSFER ENGINEERING KNOWLEDGE DIRECTLY TO OUR PARTNERS, SAVING TIME AND RESOURCES, AND SHARING EVERYTHING WE KNOW.

OUR VANS WILL PACK ALL OUR NORMAL INVENTORY LINES AND ADVANCED ASSEMBLY EQUIPMENT SO THAT WE CAN CREATE THE SAME HIGH QUALITY, CERTIFIED PARTS ON SITE THAT WE CAN DO AT OUR BASE LOCATION.

THIS SERVICE WILL BE A HUGE ASSET TO OUR CLIENTS BUILDING AND MANAGING TEAMS OF VEHICLES, OEMS AND HIGH END CUSTOM BUILDERS, AND OVER TIME DYME WILL EXPAND THE SERVICE INTO OTHER CENTERS OF RACING AROUND THE USA AND WORLD.



D Y M E


DISTRIBUTION

DYME WILL EXPAND OUR DISTRIBUTION WITH DEALERS IN THE MARKETS LISTED BELOW, WITH A STRATEGIC PRESENCE IN SOME MARKETS TO GROW A MANUFACTURING FACILITY TO SUPPORT RACING IN KEY REGIONS WHERE WE HAVE AN OPPORTUNITY TO COMPETE

UNITED STATES
CANADA
MEXICO
JAPAN
INDONESIA
CHINA
HONG KONG
TAIWAN
THAILAND
GERMANY
SPAIN
ITALY
SWEDEN
UNITED KINGDOM
AUSTRALIA
NEW ZEALAND
UNITED ARAB EMIRATES



***WANT TO BECOME A DEALER?
CONTACT BM@DYMEPSI.COM***





RACE
TURN
STOP
ON A d
dymepsi.com

DYME PERFORMANCE SYSTEMS INC. © 2024, ALL RIGHTS RESERVED - PATENTS PENDING